


STAINLESS PRODUCTS

Sheets	
304 & 304L	52
Plates	
304, 304L, 316 & 316L	53
Angles	
304, 304L, 316 & 316L	53
Rounds, Hexagons & Squares	
304, 304L, 316, 316L, 303, 416 & 17-4	54





Stainless Sheet

304, 304L, 316 & 316L

Cold Rolled, Annealed and Pickled

304 conforms to A240, SA240 & AMS 5513

304L conforms to A240, SA240 & AMS 5511


316 conforms to ASTM A240, ASME SA240 & AMS 5524

316L conforms to ASTM A240, ASME SA240 & AMS 5507

Ga.	Size in Inches		Thickness in Inches	Est. Wt. Per Sq. Ft. in Lbs.
7	36	x 120	.1874	7.871
	48	x 120	.1874	7.871
	48	x 144	.1874	7.871
	60	x 120	.1874	7.871
	60	x 144	.1874	7.871
8	36	x 120	.1650	6.930
	48	x 120	.1650	6.930
	48	x 144	.1650	6.930
	60	x 120	.1650	6.930
	60	x 144	.1650	6.930
10	36	x 96	.1350	5.670
	36	x 120	.1350	5.670
	36	x 144	.1350	5.670
	42	x 120	.1350	5.670
	48	x 96	.1350	5.670
	48	x 120	.1350	5.670
	48	x 144	.1350	5.670
	60	x 96	.1350	5.670
	60	x 120	.1350	5.670
	60	x 144	.1350	5.670
	72	x 120	.1350	5.670
72	x 144	.1350	5.670	
11	36	x 96	.1200	5.040
	36	x 120	.1200	5.040
	36	x 144	.1200	5.040
	42	x 120	.1200	5.040
	48	x 96	.1200	5.040
	48	x 120	.1200	5.040
	48	x 96	.1200	5.040
	48	x 120	.1200	5.040
	48	x 144	.1200	5.040
	60	x 96	.1200	5.040
	60	x 120	.1200	5.040
	60	x 144	.1200	5.040
	72	x 120	.1200	5.040
72	x 144	.1200	5.040	
12	36	x 96	.1054	4.427
	36	x 120	.1054	4.427
	36	x 144	.1054	4.427
	48	x 96	.1054	4.427
	48	x 120	.1054	4.427
	48	x 144	.1054	4.427
	60	x 96	.1054	4.427
	60	x 120	.1054	4.427
	60	x 144	.1054	4.427
	72	x 120	.1054	4.427
	72	x 144	.1054	4.427
13	36	x 96	.0900	3.780
	36	x 120	.0900	3.780
	48	x 120	.0900	3.780
14	36	x 96	.0751	3.154
	36	x 120	.0751	3.154
	36	x 144	.0751	3.154
	48	x 96	.0751	3.154

Continued

Ga.	Size in Inches		Thickness in Inches	Est. Wt. Per Sq. Ft. in Lbs.	
14	48	x 120	.0751	3.154	
	48	x 144	.0751	3.154	
	60	x 96	.0751	3.154	
	60	x 120	.0751	3.154	
	60	x 144	.0751	3.154	
	72	x 120	.0751	3.154	
16	30	x 120	.0595	2.499	
	30	x 144	.0595	2.499	
16	36	x 96	.0595	2.499	
	36	x 120	.0595	2.499	
	36	x 144	.0595	2.499	
	48	x 96	.0595	2.499	
	48	x 120	.0595	2.499	
	48	x 144	.0595	2.499	
	60	x 96	.0595	2.499	
	60	x 120	.0595	2.499	
	60	x 144	.0595	2.499	
	72	x 120	.0595	2.499	
	72	x 144	.0595	2.499	
18	36	x 96	.0480	2.016	
	36	x 120	.0480	2.016	
	36	x 144	.0480	2.016	
	48	x 96	.0480	2.016	
	48	x 120	.0480	2.016	
	48	x 144	.0480	2.016	
	60	x 96	.0480	2.016	
	60	x 120	.0480	2.016	
19	48	x 120	.0480	1.764	
	20	36	x 96	.0355	1.491
		36	x 120	.0355	1.491
		36	x 144	.0355	1.491
		48	x 96	.0355	1.491
		48	x 120	.0355	1.491
48		x 144	.0355	1.491	
20	60	x 96	.0355	1.491	
	60	x 120	.0355	1.491	
	60	x 144	.0355	1.491	
	22	36	x 96	.0293	1.231
		36	x 120	.0293	1.231
		36	x 144	.0293	1.231
48		x 96	.0293	1.231	
24	48	x 120	.0293	1.231	
	48	x 144	.0293	1.231	
	24	36	x 96	.0235	.9870
		36	x 120	.0235	.9870
		36	x 144	.0235	.9870
		48	x 96	.0235	.9870
48		x 120	.0235	.9870	
48		x 144	.0235	.9870	
26	36	x 96	.0178	.7476	
	36	x 120	.0178	.7476	
	48	x 120	.0178	.7476	
28	36	x 96	.0151	.6342	
	36	x 120	.0151	.6342	




Stainless Plates

304, 304L, 316, 316L
Hot Rolled, Annealed & Pickled
ASTM A240

Size In Inches	Weight per Sq. Ft. in Lbs.
3/16 x 36	8.579
48	8.579
60	8.579
72	8.579
96	8.579
1/4 x 36	11.16
48	11.16
60	11.16
72	11.16
96	11.16
5/16 x 48	13.75
60	13.75
72	13.75
96	13.75
3/8 x 48	16.50
60	16.50
72	16.50
96	16.50
1/2 x 48	21.66
60	21.66
72	21.66
84	21.66
96	21.66
120	21.66
5/8 x 72	26.83
Continued	

Size In Inches	Weight per Sq. Ft. in Lbs.
5/8 x 96	26.83
3/4 x 48	32.12
72	32.12
96	32.12
7/8 x 72	37.29
x 96	37.29
1 x 48	42.67
72	42.67
96	42.67
11/8 x 96	47.83
11/4 x 72	53.00
96	53.00
11/2 x 72	63.34
96	63.34
13/4 x 72	73.67
96	73.67
2 x 48	84.01
96	84.01
2 1/2 x 96	105.1
3 x 96	126.3
3 1/4 x 96	136.6
3 1/2 x 96	147.0
3 3/4 x 96	157.3
4 x 96	167.6




Stainless Angles

304, 316 and 316L
Hot Rolled, Annealed and Pickled or
Extruded, Annealed and Pickled
Machine or Stretcher Straightened
ASTM A276, ASTM A479,
ASME SA479, QQ-S-763
Lengths 20 Ft.

Leg (A)	Leg (B)	Thick. (C)	Est. Per Ft. in Lbs.
3/4 x 3/4 x 1/8			.590
1 x 1 x 1/8			.800
1 x 1 x 3/16			1.160
		1/4	1.490
1 1/4 x 1 1/4 x 1/8			1.010
		3/16	1.480
		1/4	1.920
1 1/2 x 1 1/2 x 1/8			1.230
		3/16	1.800
		1/4	2.340
2 x 2 x 1/8			1.650
		3/16	2.440
		1/4	3.190
		3/8	4.700
2 1/2 x 2 1/2 x 3/16			3.070
		1/4	4.100
Continued			

Leg (A)	Leg (B)	Thick. (C)	Est. Per Ft. in Lbs.
2 1/2 x 2 1/2 x 3/8			5.900
3 x 2 x 3/16			3.070
		1/4	4.100
3 x 3 x 1/4			4.900
		5/16	6.100
		3/16	7.200
3 1/2 x 3 1/2 x 1/4			5.800
4 x 3 x 1/4			5.800
		3/8	8.500
4 x 4 x 1/4			6.600
		3/8	9.800
5 x 3 x 3/8			9.850
5 x 5 x 3/8			12.30
6 x 3 x 3/8			11.02
6 x 4 x 1/4			9.210
		3/8	12.30
6 x 6 x 3/8			14.90



Stainless Rounds, Hexagons & Squares

304/304L, 316/316L, 303, 416, 17-4
 Annealed and Cold Finished
 303 conforms to A314, A588 & A484
 304 conforms to A314, A276, A479, A182 & A484
 316 conforms to A314, A276, A479, A182 & A484
 416 conforms to A314, A582 & A484
 17-4 conforms to A564, A484
 Lengths: 12 Ft. Random

Rounds In Inches	Weight per Ft. in Lbs.	Rounds In Inches	Weight per Ft. in Lbs.
1/8	.042	1 5/8	7.051
3/16	.094	1 11/16	7.604
1/4	.167	1 3/4	8.178
5/16	.261	1 13/16	8.770
3/8	.376	1 7/8	9.388
7/16	.511	1 15/16	10.02
1/2	.668	2	10.68
9/16	.845	2 1/8	12.06
5/8	1.043	2 3/16	12.79
11/16	1.262	2 1/4	13.52
3/4	1.502	2 3/8	15.06
13/16	1.763	2 1/2	16.69
7/8	2.045	2 5/8	18.40
15/16	2.347	2 3/4	20.19
1	2.670	2 7/8	22.07
1 1/16	3.015	3	24.03
1 1/8	3.380	3 1/8	26.08
1 3/16	3.766	3 1/4	28.21
1 1/4	4.172	3 3/8	30.42
1 5/16	4.600	3 1/2	32.71
1 3/8	5.049	3 3/4	37.55
1 7/16	5.518	3 7/8	40.10
1 1/2	6.008	4	42.73
1 9/16	6.519	5	66.73
Continued		6	96.13